

TRANSFER REGISTRATION (6917)

This is to certify that the following transfer has been completed:

Holder of certificate: Dialight Corporation

1501 Route 34 South, Farmingdale, New Jersey, 07727, United States of America

Transfer Details: The certificates listed below have been transferred

From: **SGS Baseefa Ltd**, Rockhead Business Park, Staden Lane, Buxton, Derbyshire, SK17 9RZ, UK
(EU Notified Body Number: 1180)

To: **SGS Fimko Oy**, Särkiniementie 3, P.O. Box 30, FI-00211, Helsinki, Finland
(EU Notified Body Number: 0598)

Certificates affected: Baseefa10ATEX0092X, Baseefa10ATEX0083X, Baseefa10ATEX0091U,
Baseefa10ATEX0084X, Baseefa10ATEX0148X, Baseefa12ATEX0070X

The purpose of this document is to permit existing information (for example on Certificate Schedule Drawings or label marking) to be replaced by equivalent new information as described above. No other change may be made to the certified design.

If your Notified Body responsible for production supervision is also changing at this time, this document also permits you to changed the Notified Body Number within the label marking detail on the relevant drawing.

This document is issued by the Company subject to their General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of their intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ UK
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail baseefa@sgs.com
web site www.sgs.co.uk/sgsbaseefa
Registered in England No. 4305578.
Registered address: Rossmore Business Park,
Ellesmere Port, Cheshire, CH65 3EN

SGS Fimko Oy

Särkiniementie 3
P.O. Box 30 FI-00211 Helsinki
Finland
Telephone +358 (0)9 696 361
Fax. +358 (0)9 692 5474
e-mail sgs.fimko@sgs.com
web site www.sgs.fi
Business ID 0978538-5

**R S SINCLAIR**

Authorised Signatory for SGS Fimko Oy
Technical Manager SGS Baseefa Ltd.

SUPPLEMENTARY EU - TYPE EXAMINATION CERTIFICATE

**Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 2014/34/EU**

Supplementary EU - Type Examination Certificate Number: **Baseefa10ATEX0092X/7**

In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Supplementary Certificates to such EC-Type Examination Certificates, and new issues of such certificates, may continue to bear the original certificate number issued prior to 20 April 2016

Product: **WPA Series LED Luminaire**

Manufacturer: **Dialight Corporation**

Address: **1501 Route 34 South, Farmingdale, New Jersey, 07727,
United States of America**

This supplementary certificate extends EC – Type Examination Certificate No. Baseefa10ATEX0092X to apply to products designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

SGS Baseefa, Notified Body number 1180, in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that the product, as modified by this supplementary certificate, has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

SGS Baseefa Customer Reference No. **6917**

Project File No. **16/0825**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.sgs.com/SGSBaseefa/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail baseefa@sgs.com web site www.sgs.co.uk/baseefa

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN


R S SINCLAIR

TECHNICAL MANAGER

On behalf of SGS Baseefa Limited

13

Schedule

14

Certificate Number Baseefa10ATEX0092X/7

15 Description of the variation to the Product

Variation 7.1

This issue permits existing information (for example on Schedule Drawings) to be replaced by the revised certificate holders name and address. No other changes may be made to the certified design

16 Report Number

None

17 Specific Conditions of Use

None additional to those listed previously

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

None

SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

- 3 Supplementary EC - Type Examination Certificate Number: **Baseefa10ATEX0092X/6**
- 4 Equipment or Protective System: **WPA Series LED Luminaire**
- 5 Manufacturer: **Dialight Europe Ltd**
- 6 Address: **Exning Road, Newmarket, Suffolk, CB8 0AX**
- 7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa10ATEX0092X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

Baseefa Customer Reference No. **5801**

Project File No. **12/0824**

This document is issued by the Company subject to its General Conditions for Certification Services accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and the Supplementary Terms and Conditions accessible at <http://www.baseefa.com/terms-and-conditions.asp>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. It does not necessarily indicate that the equipment may be used in particular industries or circumstances. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, schedule included, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Baseefa Limited

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Registered in England No. 4305578.

Registered address: Rossmore Business Park, Ellesmere Port, Cheshire, CH65 3EN


R S SINCLAIR
GENERAL MANAGER

On behalf of SGS Baseefa Limited

13 **Schedule**

14 **Certificate Number Baseefa10ATEX0092X/6**

15 **Description of the variation to the Equipment or Protective System**

Variation 6.1

To allow alternative Ex e terminals on the emergency luminaires.

16 **Report Number**

GB/BAS/ExTR14.0011/00

17 **Specific Conditions of Use**

None additional to those listed previously

18 **Essential Health and Safety Requirements**

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 **Drawings and Documents**

Number	Sheet	Issue	Date	Description
WEA-000830	1-2	C	14-NOV-2013	Type WPA series LED emergency version G.A



1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa10ATEX0092X/5**

4 Equipment or Protective System: **WPA Series LED Luminaire**

5 Manufacturer: **Dialight Europe Ltd**

6 Address: **Exning Road, Newmarket, Suffolk, CB8 0AX**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa10ATEX0092X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.


Baseefa Customer Reference No. **5801**

Project File No. **12/0185**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.


R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa10ATEX0092X/5

15 Description of the variation to the Equipment or Protective System

Variation 5.1

To allow a transportable option where the bulkhead luminaire is mounted onto a frame allowing it to be moved and used at temporary worksites.

Variation 5.2

To allow an optional external frame to support a plastic lens in front of the glass cover.

Variation 5.3

To allow an alternative LED tray to be used incorporating 5 x 0.5W LEDs. In this configuration the luminaire is suitable for an ambient temperature range of $-40^{\circ}\text{C} < T_a < +40^{\circ}\text{C}$ for T6 or $-40^{\circ}\text{C} < T_a < +50^{\circ}\text{C}$ for T5. The upper ambient temperatures are reduced by 5°C for recess mount luminaires.

Variation 5.4

Minor internal changes including some component changes.

Variation 5.5

Minor label changes including an optional re-designation of the products as **SafeSite WPA Series LED** Luminaires.

16 Report Number

GB/BAS/ExTR12.0101/00

17 Specific Conditions of Use

As listed previously and additionally:

1. The transportable luminaire must be de-energised before being moved and must not be used if it is dropped or damaged during transportation.
2. When the plastic lens is fitted the luminaire must not be located in a dust laden air-stream.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheets	Issue	Date	Description
SCH-000700	1	C	02-Mar-12	Emergency LED Driver
DLC-001667	1	A	12-Mar-12	Transportable
DLC-001667	2	A	21-Feb-12	Sand blast- fire exit
WPA-000593	1 & 2	E	03-Feb-12	WPA series GA
A70-001445	1	B	31-Jan-12	Gear tray
A70-001446	1	B	31-Jan-12	Battery support plate
A40-000520	1	D	04/04/12	Label



Number	Sheets	Issue	Date	Description
A40-000704	1	C	04/04/12	Label
A40-000705	1	B	04/04/12	Label
A40-000663	1	C	04/04/12	Label
A40-000854	1	C	10-Apr-12	Label
A40-000849	1	D	10-Apr-12	Label

These drawings are common to and held with IECExBAS10.0051X



1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa10ATEX0092X/4**

4 Equipment or Protective System: **WPA Series LED Luminaire**

5 Manufacturer: **Dialight Europe Ltd**

6 Address: **Exning Road, Newmarket, Suffolk, CB8 0AX**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa10ATEX0092X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **5801**

Project File No. **11/0854**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa10ATEX0092X/4

15 Description of the variation to the Equipment or Protective System

Variation 4.1

To allow the use of a higher capacity (10Ah) battery pack in the emergency luminaires which enables up to 27 LEDs to be illuminated when the mains power fails. When this battery pack is installed the luminaires are suitable for use in an ambient range from -20°C to +40°C (27 LEDs) or -20°C to +50°C (9 or 18 LEDs) unless the upper ambient temperature is limited by other factors.

This battery pack can be used in both the single and double luminaires.

16 Report Number

GB/BAS/ExTR11.0306/00

17 Specific Conditions of Use

As listed previously.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheets	Issue	Date	Description
SCH-000700	1	B	28-Oct-11	Emergency LED Driver
WEA000830	1 & 2	B	27-Oct-11	General arrangement
A70-000650	1	B	9-Sep-11	Driver tray
A70-001445	1	A	11-Nov-11	Gear tray
A70-001446	1	A	11-Nov-11	Battery support plate
A80-001500	1	A	25-Nov-11	10Ah battery pack
DEA-001225	1 & 2	B	31-Oct-11	Double luminaire GA
DBA-001226	1 & 2	B	22-Nov-11	Double luminaire GA
A40-000849	1	B	2-Nov-11	Stainless steel label
A40-000854	1	B	2-Nov-11	Kroy label

These drawings are common to and held with IECExBAS10.0051X



SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

- 3 Supplementary EC - Type Examination Certificate Number: **Baseefa10ATEX0092X/3**
- 4 Equipment or Protective System: **WPA Series LED Luminaire**
- 5 Manufacturer: **Dialight BLP Ltd**
- 6 Address: **Exning Road, Newmarket, Suffolk, CB8 0AX**
- 7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa10ATEX0092X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **5801**

Project File No. **10/1031**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa10ATEX0092X/3

15 Description of the variation to the Equipment or Protective System

Variation 3.1

To add an emergency version with integral battery pack, Designation "WEA". Luminaires with a battery pack installed are suitable for use in an ambient range from 0°C to +60°C unless the upper ambient temperature is limited by other factors.

Variation 3.2

To add double version, designation "DBA", and double emergency version with integral battery pack, designation "DEA".

16 Report Number

GB/BAS/ExTR11.0102/00

17 Special Conditions for Safe Use

As listed previously.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheets	Issue	Date	Description
SCH-000700	1	A	26-May-2011	Emergency LED Driver
WEA000830	1 & 2	A	26-May-2011	General arrangement
A70-000844	1	A	26-May-2011	Gear tray
A50-000832	1	A	26-May-2011	LED cable
A80-000799	1	A	26-May-2011	Battery Pack
DEA-001225	1 & 2	A	26-May-2011	Double emergency luminaire GA
DBA-001226	1 & 2	A	26-May-2011	Double luminaire GA

These drawings are common to and held with IECExBAS10.0051X



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa10ATEX0092X/2**

4 Equipment or Protective System: **WPA Series LED Luminaire**

5 Manufacturer: **Dialight BLP Ltd**

6 Address: **Exning Road, Newmarket, Suffolk, CB8 0AX**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa10ATEX0092X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **5801**

Project File No. **10/0685**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa10ATEX0092X/2

15 Description of the variation to the Equipment or Protective System

Variation 2.1

To allow up to 27 LEDs to be used in which case the coding becomes:

Ⓔ II Ex d e mb IIC T6 Gb Ex tb IIIC T85°C Db IP66/67 T_a -40°C to +40°C

or

Ⓔ II Ex d e mb IIC T5 Gb Ex tb IIIC T100°C Db IP66/67 T_a -40°C to +50°C

And for the recessed mounting becomes:

Ⓔ II Ex d e mb IIC T6 Gb Ex tb IIIC T85°C Db IP66/67 T_a -40°C to +35°C

or

Ⓔ II Ex d e mb IIC T5 Gb Ex tb IIIC T100°C Db IP66/67 T_a -40°C to +45°C

Variation 2.2

To allow an alternative stanchion mounting arrangement.

Variation 2.3

To allow a minor change in the O-ring dimensions

Variation 2.4

To allow minor modifications to the label details

Report Number

GB/BAS/ExTR10.0262/00

17 Special Conditions for Safe Use

As listed previously.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheets	Issue	Date	Description
WPA-000593	1 & 2	D	5-JAN-2011	General assembly
A40-000520	1	B	22/9/10	Label
A40-000663	1	B	7/9/10	Label
A40-000704	1	A	11/1/11	Label
A40-000705	1	A	11/1/11	Label

These drawings are common to and held with IECExBAS10.0051X



1 SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE

**2 Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa10ATEX0092X/1**

4 Equipment or Protective System: **WPA Series LED Luminaire**

5 Manufacturer: **Dialight BLP Ltd**

6 Address: **Exning Road, Newmarket, Suffolk, CB8 0AX**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa10ATEX0092X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **5801**

Project File No. **10/0505**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ

Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601

e-mail info@baseefa.com web site www.baseefa.com

Baseefa is a trading name of Baseefa Ltd

Registered in England No. 4305578. Registered address as above.

R S SINCLAIR

DIRECTOR

On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa10ATEX0092X/1

15 Description of the variation to the Equipment or Protective System

Variation 1.1

To allow an optional DC version suitable for connection to a DC supply of 24-48V.

16 Report Number

GB/BAS/ExTR10.0154/00

17 Special Conditions for Safe Use

As listed previously and additionally.

1. The 24-48V DC luminaire must only be used with a galvanically isolated circuit.

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheets	Issue	Date	Description
WPA-000593	1 & 2	C	02-Jul-2010	General assembly
A40-000622	1	A	20/05/10	DC label
A40-000664	1	A	02/07/10	DC label
A40-000666	1	A	02/07/10	DC label
A40-000663	1	A	02/07/10	AC label
A40-000665	1	A	02/07/10	AC label
A40-000520	1	A	22/04/10	AC label

These drawings are common to and held with IECExBAS10.0051X



1 **EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 EC - Type Examination Certificate Number: **Baseefa10ATEX0092X**

4 Equipment or Protective System: **WPA Series LED Luminaire**

5 Manufacturer: **Dialight BLP Ltd**

6 Address: **Exning Road, Newmarket, Suffolk, CB8 0AX**

7 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Baseefa, Notified Body number 1180, in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. **GB/BAS/ExTR10.0084.00**

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:
EN 60079-0: 2009, EN 60079-1: 2007, EN 60079-7: 2007, IEC 60079-18: 2009 and IEC 60079-31:2008
except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

11 This EC - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

12 The marking of the equipment or protective system shall include the following :

⊕ II Ex d e mb IIC T6 Gb Ex tb IIC T85°C Db IP66/67 T_a -40°C to +50°C

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **5801**

Project File No. **09/0988**

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa10ATEX0092X

15 Description of Equipment or Protective System

The Type WPA Series LED Luminaire consists of a rectangular cast aluminium enclosure with a glass cover held in aluminium frame which is secured to the enclosure using 4 screws. Adequate sealing to maintain the IP66/67 ingress protection rating is ensured by a silicone O-ring and a silicone gasket between the glass and the frame.

The enclosure contains and Ex d electronic driver circuit covered by certificate Baseefa10ATEX0083X or Baseefa10ATEX0084X and a component LED Module covered by Baseefa10ATEX0091U. The LED Modules include up to 27 LEDs of which 18 may be powered up at any one time.

The luminaire is rated for connection to a 100-277V ac supply.

Variation 0.1

To allow use at an increased ambient temperature of +60°C in which case the marking becomes:

Ⓔ II Ex d e mb IIC T5 Gb Ex tb IIIC T100°C Db IP66/67 T_a -40°C to +60°C

Variation 0.2

To allow the luminaire to be mounted recessed in which case the ambient temperature is reduced by 5°C and the marking becomes:

Ⓔ II Ex d e mb IIC T6 Gb Ex tb IIIC T85°C Db IP66/67 T_a -40°C to +45°C

Or

Ⓔ II Ex d e mb IIC T5 Gb Ex tb IIIC T100°C Db IP66/67 T_a -40°C to +55°C

16 Report Number

GB/BAS/ExTR10.0084.00

17 Special Conditions for Safe Use

1. Suitably certified cable entries must be used which include a sealing washer to maintain the IP66/67 rating of the enclosure.
2. The supply to the luminaire must include a fuse which is capable of interrupting a 1500A short circuit current.

18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

19 Drawings and Documents

Number	Sheets	Issue	Date	Description
WPA-000593	2	B	10-JUN-2010	General assembly
A40-000520	1	A	22/04/10	Label

These drawings are common to and held with IECEx BAS10.0051X